<u>CANADIAN</u> <u>DATA CENTRE HOSTING &</u> <u>INFRASTRUCTURE CLOUD SERVICES</u> <u>MARKET REPORT</u>



2015 EDITION

NBI / MICHAEL SONE ASSOCIATES INC.

www.nbicanada.com

CANADIAN DATA CENTRE HOSTING & INFRASTRUCTURE CLOUD SERVICES MARKET REPORT, 2015 EDITION

TABLE OF CONTENTS

Section	on	Page
ABOU	UT THIS REPORT	vi
SECT	TION 1 — INTRODUCTION & INDUSTRY BACKGROUND	1
1.1	Introduction	2
1.2	Industry Background	3
1.3	Types of Hosting Services	
1.4	Drivers of Outsourced Hosting Services	
1.5	Data Centre Features	
SECT	TION 2 — MARKET OVERVIEW	15
2.1	2014 Market Highlights	16
2.2	2015 Market Highlights	18
2.3	2016-2017 Forecast	19
2.4	Major Trends	20
	2.4.1 Cloud providers and the Canadian market	20
	2.4.2 Hybrid solutions – the gateway to the cloud for large enterprises	21
	2.4.3 Carrier neutral data centres	22
SECT	TION 3 — MARKET AT A GLANCE	24
SECT	TION 4 — HOSTING SERVICE PROVIDER PROFILES	28
4.1	Introduction	29
4.2	Allstream	30
4.3	Bell Canada	39
4.4	CenturyLink	47
4.5	CGI Group	57
4.6	Cogeco Peer 1	63
4.7	Cologix	75
4.8	Q9 Networks	86
4.9	Rogers	
4.10	SaskTel	
4.11	TELUS	
4.12	TeraGo	123

CANADIAN DATA CENTRE HOSTING & INFRASTRUCTURE CLOUD SERVICES MARKET REPORT, 2015 EDITION

LIST OF EXHIBITS

Exhibit		Page
Exhibit 2.1	2014 Market Shares	16
Exhibit 2.2	Forecast 2015 Market Shares	18
Exhibit 2.3	Industry Revenue, 2013-2017	
Canadian Ho	sting Industry Revenue & Market Shares	
Exhibit 3.1	Industry Revenue by Hosting Service Provider & Market Shares, 2013-2015	25
Exhibit 3.2	Industry Revenue by Hosting Segment, 2013-2015	
Canadian Ho	sting Industry Revenue by Segment by Hosting Service Provider	
Exhibit 3.3	Revenue by Segment by Service Provider, 2013	26
Exhibit 3.4	Revenue by Segment by Service Provider, 2014	26
Exhibit 3.5	Revenue by Segment by Service Provider, 2015	26
Canadian Da	ta Centres by Hosting Service Provider	
Exhibit 3.6	Industry Revenue by Vertical, 2014	27
Exhibit 3.7	Data Centre Area (Total, Raised Floor, In Service & Spare) by Host Service Provider & Shares as of October 2015	_
Hosting Servi	ice Provider Exhibits	
Exhibit 4.2	Allstream	38
	4.2.2 Revenue by Industry, 2014 4.2.3 Data Centre Area by Province, as of October 2015	
Exhibit 4.3	Bell Canada	46
	4.3.1 Revenue by Hosting Type, 2013-20154.3.2 Revenue by Industry, 2014	
	4.3.3 Data Centre Area by Province, as of October 2015	
Exhibit 4.4	CenturyLink	56
	4.4.1 Revenue by Hosting Type, 2013-2015	
	4.4.2 Revenue by Industry, 2014	
	4.4.3 Data Centre Area by Province, as of October 2015	

CANADIAN DATA CENTRE HOSTING & INFRASTRUCTURE CLOUD SERVICES MARKET REPORT, 2015 EDITION

LIST OF EXHIBITS

Exhibit	 	Page
Exhibit 4.5	CGI Group	62
Exhibit 4.6	Cogeco Peer 1	74
Exhibit 4.7	Cologix	85
Exhibit 4.8	Q9 Networks	94
Exhibit 4.9	Rogers	104
Exhibit 4.10	SaskTel	111
Exhibit 4.11	TELUS	122
Exhibit 4.12	TeraGo	131

ABOUT THIS REPORT

The Canadian Data Centre Hosting & Infrastructure Cloud Services Market Report, 2015 Edition is NBI/Michael Sone Associates' annual examination of the competitive landscape of the Hosted Data Centre Services market in Canada. At over 130 pages and containing 21 exhibits, this report provides a detailed analysis of the development of, and trends driving, the Canadian Data Centre Hosting market. Market size and vendor market shares are presented in terms of revenues and size of data centre (overall, raised floor and capacity) for the period 2013 to 2017.

We define the hosting market as out-sourced infrastructure operated in a data centre by a third-party, and segment this market into three areas – colocation, shared hosting and managed hosting. This segmentation is used in the exhibits throughout the report.

A sub-category of managed hosting is called Infrastructure as a Service (IaaS), one form of cloud computing. This is an arrangement whereby a client outsources the IT equipment required to support its operations, including servers, storage and networking, to a service provider. Much like dedicated managed hosting, the IaaS service provider owns the equipment and is responsible for housing, operating and maintaining it. However, most IaaS services usually permit the dynamic scaling of resources according to the customer's needs, and the customer is typically charged on a per-use basis that is metered by one or more parameters reflecting the consumed computing resources. We include coverage of IaaS services offered by major Canadian telecommunications companies in this report.

In-depth profiles of 11 leading hosting service providers active in Canada are provided, examining the company's services, facilities and Canadian hosting revenues. Each profile includes exhibits detailing the company's total and market segment revenues (colocation, shared and managed), and quantifies in terms of square footage the data centre operations by raised floor space, in-service floor space and spare capacity in each province where the company operates as of Q4 2015.

Exhibits for the overall market include industry revenues & market shares, revenue by service provider by market segment, data centre floor area by hosting service provider, overall data centre area by province and total industry revenue by vertical segment.

As with all NBI/Michael Sone Associates reports, information has been gathered from primary sources. The information contained in this report is the result of numerous interviews, primarily with the hosting service providers themselves.

Please note that reported revenues represent proceeds from the operation of outsourced infrastructure operated in data centre services by vendors active in the Canadian market. These revenues exclude consulting and professional services fees (other than what is required to provide service), such as business process outsourcing. Figures are in Canadian dollars unless otherwise noted.

Please also note that in accordance with industry practice, we use the Imperial unit of measure, the square foot, to quantify data centre area. One thousand square feet equals about 93 square meters; a 10,000 square foot data centre is thus about 930 square meters. We also use the units of Watt and VA (Volt-Ampere) interchangeably when discussing data centre power capacities. This implicitly assumes that electrical loads are purely resistive, which may or may not be the case for any specific piece of equipment, system or data centre.